Approved For Release 2007/01/17 C

13 February 1966

PAGE JA

AMM/SAM LAUNCH COMPLEX

KIMRY, USSR

1

SIGNIFICANCE:

NEWLY IDENTIFIED AMM/SAM LAUNCH COMPLEX

UNDER CONSTRUCTION.

2. REMARKS: THERE ARE NOW A TOTAL OF 12 AMM/SAM

LAUNCH COMPLEXES IDENTIFIED IN THE USSR.

THE NEWLY IDENTIFIED AMM/SAM LAUNCH COMPLEX

NEAR KIMRY IS SIMILAR IN CONFIGURATION TO

PREVIOUSLY IDENTIFIED AMM/SAM LAUNCH

COMPLEXES AT SARY-SHAGAN, CHEREPOVETS,

LIEPAJA, AND THOSE IN THE URALS REGION.

LOCATION:

6 NM SOUTH OF KIMRY AND APPROXIMATELY 61 NM

NNW OF MOSCOW.

COLLATERAL/COMINT:

NONE

FIRST IDENTIFICATION

6. NEGATION DATE:

These notes have been prepared for briefing purposes only and should not be used for detailed analytical work, Their use should be restricted to the particular briefing board(s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue.

13 February 1966
PAGE

7. SUBSEQUENT COVERAGE: NONE

8. <u>DIMENSIONS/</u>
<u>SPECIFICATIONS</u>:

ORIENTATION: (PLUS OR MINUS

5 DEGREES). DISTANCE BETWEEN LAUNCH SITES

"A" AND "B": APPROXIMATELY 1000 FT.

DISTANCE BETWEEN LAUNCH SITES "B" AND "C":

APPROXIMATELY 1080 FT.


DISTANCE BETWEEN LAUNCH SITES AND ELECTRONICS POSITION CLEARINGS: APPROXIMATELY

3300 FT.

9. MISSION READOUT: THE COMPLEX CONSISTS OF 3 LAUNCH SITES AND AN ELECTRONICS SITE, ALL IN AN EARLY STAGE OF CONSTRUCTION, AND A SUPPORT AREA. THE COMPLEX IS ENCLOSED WITHIN A DOUBLE SECURITY FENCE, THE PRESENT POSITION OF WHICH WOULD PRECLUDE CONSTRUCTION OF TWO ADDITIONAL SITES TO FORM A SYMMETRICAL 5-SITE CONFIGURATION.

THE DISTANCE BETWEEN THE CENTRAL GUIDANCE/CONTROL POSITIONS OF LAUNCH SITES "A" AND "B" IS APPROXIMATELY 1000 FEET; THE DISTANCE BETWEEN THE CENTRAL GUIDANCE/CONTROL POSITIONS OF LAUNCH SITES "B" AND "C" IS APPROXIMATELY 1080 FEET. THE AZIMUTH OF A PERPENDICULAR BISECTOR OF A LINE DRAWN BETWEEN THE CENTRAL GUIDANCE/CONTROL POSITIONS OF LAUNCH SITES "A" AND "C" (PLUS OR

These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue.



Approved For Release 2007/01/17

13 February 1966

PAGE 14

MINUS 5 DEGREES). POSITIONS ARE BEING CLEARED FOR THE ELECTRONICS SITE APPROXIMATELY 3300 FEET SE OF THE LAUNCH SITES. THERE ARE APPROXIMATELY 4 BUILDINGS IN A SUPPORT AREA LOCATED AT THE ENTRANCE TO THE COMPLEX

^

These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue.

